

Prep. [1]

First Term - Algebra

Final Revision

Part 2 - Problems



Mr. Mahmoud Esmail
01006487539 - 01110882717

الاسم

Exercises

[B] Choose the correct : -

1	The number $\frac{X-2}{X-9} = 0$, then X =	B
	A) 1 B) 2 C) 3 D) 4	
2	$0.\dot{5}\dot{7} = \dots\dots\dots$	B
	A) $\frac{17}{33}$ B) $\frac{19}{33}$ C) $\frac{23}{33}$ D) $\frac{87}{33}$	
3	The necessary condition to make $\frac{5}{X-1}$ a rational number is X \neq	A
	A) 1 B) 2 C) 3 D) 4	
4	The rational number $\frac{X}{-4}$ is positive if X is	B
	A) > zero B) < zero C) \geq zero D) zero	
5	If : $X + \frac{1}{X} = 2 + \frac{1}{2}$, then X =	A
	A) 2 B) 3 C) 4 D) 5	
6	If $\frac{X-2}{X-3}$ is a rational number , then X \neq	C
	A) 1 B) 2 C) 3 D) 4	
7	$1.\dot{6} = \dots\dots\dots$	B
	A) $1\frac{1}{3}$ B) $1\frac{2}{3}$ C) $1\frac{2}{9}$ D) $1\frac{5}{9}$	
8	The necessary condition to make $\frac{5}{X+3}$ a rational number is X \neq	C
	A) - 1 B) - 2 C) - 3 D) - 4	
9	If $\frac{X}{Y} = 1$, then X - Y =	B
	A) 1 B) 0 C) 3 D) 4	
10	Which of the following is least rational number	A
	A) $-\frac{2}{5}$ B) $\frac{7}{5}$ C) $\frac{24}{23}$ D) $\frac{200}{201}$	
11	The rational number which lies between 1 and 2 is	A
	A) $\frac{6}{5}$ B) $\frac{2}{3}$ C) $\frac{5}{7}$ D) $\frac{3}{4}$	

24	The multiplicative identity element in \mathbb{Q} is	B
	A) 0 B) 1 C) -1 D) 2	
25	The additive inverse of : $(-\frac{4}{5})$ is	C
	A) $\frac{3}{4}$ B) $-\frac{3}{4}$ C) $\frac{4}{5}$ D) $-\frac{4}{5}$	
26	The additive inverse of : $(-\frac{4}{5})^{\text{zero}}$ is	C
	A) 0 B) 1 C) -1 D) 2	
27	The additive inverse of : $-\frac{1}{-5}$ is	C
	A) $-\frac{1}{5}$ B) $-\frac{1}{2}$ C) $\frac{1}{5}$ D) $\frac{1}{2}$	
28	The remainder of $\frac{7}{3}$ from $\frac{5}{3}$ is	B
	A) $\frac{2}{3}$ B) $-\frac{2}{3}$ C) 1 D) -1	
29	If : $\frac{a}{b} = \frac{1}{2}$, then $2a - b =$	C
	A) 2 B) 1 C) 0 D) -1	
30	The multiplicative identity element in \mathbb{Q} is	B
	A) 0 B) 1 C) -1 D) 2	
31	The multiplicative inverse of -1 is	C
	A) 0 B) 1 C) -1 D) 2	
32	The multiplicative inverse of $-\frac{7}{2}$ is	B
	A) $-\frac{7}{2}$ B) $-\frac{2}{7}$ C) $-\frac{3}{5}$ D) $-\frac{5}{3}$	
33	The multiplicative inverse of $ \frac{1}{-9} $ is	D
	A) 2 B) 3 C) 5 D) 9	
34	If : $\frac{x}{y} = \frac{1}{2}$, then $= \frac{2x}{y}$	B
	A) 0 B) 1 C) -1 D) -2	
35	If : $\frac{4}{5}x = \frac{4}{5}$ then $x =$	C
	A) 0 B) -1 C) 1 D) -2	

36	If: $\frac{7}{2} \times n = 1$, then $n =$	A) $\frac{4}{3}$	B) $\frac{5}{3}$	C) $\frac{2}{7}$	D) $\frac{7}{2}$	C
37	$-\frac{a}{b} \times -\frac{b}{a} = \frac{\dots\dots\dots}{-3}$	A) -2	B) -3	C) -5	D) -7	B
38	$4 \times \dots\dots\dots = 1$	A) $\frac{1}{2}$	B) $\frac{1}{3}$	C) $\frac{1}{4}$	D) $\frac{1}{5}$	C
39	$3\frac{1}{4} \times \dots\dots\dots = 1$	A) $\frac{2}{3}$	B) $\frac{2}{7}$	C) $\frac{4}{13}$	D) $\frac{5}{21}$	C
40	If: $\left \frac{-4}{5} \right \times n = 1$, then $n =$	A) $\frac{3}{2}$	B) $\frac{4}{3}$	C) $\frac{5}{4}$	D) $\frac{5}{2}$	C
41	The rational number lying at half way between $\frac{1}{3}$ and $\frac{4}{3}$	A) $\frac{11}{16}$	B) $\frac{9}{16}$	C) $\frac{5}{6}$	D) $\frac{13}{30}$	C
42	The rational number that lies one fifth of the way from $\frac{1}{2}$ to $\frac{1}{4}$	A) $\frac{1}{2}$	B) $\frac{3}{8}$	C) $\frac{9}{20}$	D) $\frac{19}{40}$	C
43	The rational number that lies one fourth of the way from $\frac{1}{2}$ to $\frac{1}{4}$	A) $\frac{5}{8}$	B) $\frac{13}{32}$	C) $\frac{7}{16}$	D) $\frac{15}{32}$	C
44	The rational number that lies one third of the way from $\frac{1}{2}$ to $\frac{1}{4}$	A) $\frac{2}{3}$	B) $\frac{7}{24}$	C) $\frac{5}{12}$	D) $\frac{11}{24}$	C
45	The coefficient of algebraic term $7X^2y$ is	A) 5	B) 6	C) 7	D) 8	C
46	The degree of the algebraic term: X^2y is	A) first	B) second	C) third	D) fourth	C

47	The algebraic term $6a^2b^3$ is ofdegree A) 5^{th} B) 6^{th} C) 7^{th} D) 8^{th}	A
48	The square of the sum of X and y = A) $(a+b)^2$ B) $(a+c)^2$ C) $(X+y)^2$ D) $(X+z)^2$	C
49	The algebraic expression : $X^2 + 3$ is of the degree A) first B) second C) third D) fourth	B
50	$X + 4X =$ A) $2X$ B) $3X$ C) $4X$ D) $5X$	D
51	$6X + 5X - 7X =$ A) X B) $2X$ C) $3X$ D) $4X$	D
52	The increase of $(4X^2)$ then $(-2X^2) =$ A) $5X^2$ B) $6X^2$ C) $3X^2$ D) $4X^2$	B
53	$2X + 3y$ is greater than $3y - X$ by A) $4X$ B) $5X$ C) $3X$ D) $6X$	C
54	The remainder of subtracting $(-4X)$ from $3X$ equals A) X B) $7X$ C) $3X$ D) $4X$	B
55	$(2X - 7)(2X + 7) =$ - 49 A) X^2 B) $4X^2$ C) $9X^2$ D) $16X^2$	B
56	$(X - 5)(X + 5) = X^2 -$ A) 25 B) 36 C) 49 D) 64	A
57	$(20 - 3)(20 + 3) = 400 -$ A) 1 B) 4 C) 9 D) 16	C
58	$(X - 3)(\dots) = X^2 - 9$ A) $X + 1$ B) $X + 2$ C) $X + 3$ D) $X + 4$	C
59	$(X - 3)(X + \dots) = X^2 -$ A) 1 , 1 B) 2 , 4 C) 3 , 9 D) 4 , 16	C
60	$(2X - 1)^2 =$ - $4X + 1$ A) X^2 B) $4X^2$ C) $9X^2$ D) $16X^2$	B
61	$(X - 2)^2 = X^2 - 4X +$	B

	A) 1	B) 4	C) 9	D) 16	
62	The middle term of $(X - 3y)^2 = \dots\dots\dots$				B
	A) $4Xy$	B) $6Xy$	C) $12Xy$	D) $20Xy$	
63	If: $(X + y)^2 = 13$, $X^2 + y^2 = 9$, then $Xy = \dots\dots\dots$				B
	A) 1	B) 2	C) 3	D) 4	
64	A rectangle whose length is $3L$ m and its width is $4L$ m, then its area is				B
	A) $12m^3L^3$	B) $12m^2L^2$	C) $56m^3L^3$	D) $56m^2L^2$	
65	$(2X + 4)(X + 1) = \dots\dots\dots + 6X + 4$				B
	A) $6X^2$	B) $2X^2$	C) $12X^2$	D) $15X^2$	
66	$(X + 5)(2X - 7) = 2X^2 + \dots\dots\dots - 35$				C
	A) X	B) $2X$	C) $3X$	D) $5X$	
67	$(2X^2)X(3X^2) = \dots\dots\dots$				C
	A) $6X^2$	B) $6X^3$	C) $6X^4$	D) $6X^5$	
68	$(3a^2b^2)X(4a^2b^3) = \dots\dots\dots$				B
	A) $10a^5b^4$	B) $12a^4b^5$	C) $12a^6b^5$	D) $10a^7b^6$	
69	$3X \times \dots\dots\dots = 15X^6$				D
	A) $2X^2$	B) $3X^3$	C) $4X^4$	D) $5X^5$	
70	$24X^5 \div -4X^2 = \dots\dots\dots$				B
	A) $-8X^2$	B) $-6X^3$	C) $-4X^4$	D) $-8X$	
71	$(X^2 + X) \div X = \dots\dots\dots$				A
	A) $X + 1$	B) $X + 2$	C) $X + 3$	D) $X + 4$	
72	$(X^2 + 3Xy) \div X = \dots\dots\dots$				C
	A) $X + y$	B) $X + 2y$	C) $X + 3y$	D) $X + 4y$	
73	$(25X^6 + 5X^2) \div 5X^2 = \dots\dots\dots$				D
	A) $5X + 1$	B) $5X^2 + 1$	C) $5X^3 + 1$	D) $5X^4 + 1$	
74	The highest common factor of the expression: $8X^2 - 4X$ is $\dots\dots\dots$				C
	A) $2X$	B) $3X$	C) $4X$	D) $5X$	

75	The highest common factor of the expression : $8 X^2 y - 4 X y$ is	C
	A) $2 X y$ B) $3 X y$ C) $4 X y$ D) $5 X y$	
76	The H.C.F. of the expression: $3 X^4 y^2 - 6 X^2 y^2$ is	B
	A) $2 X^2 y^2$ B) $3 X^2 y^2$ C) $4 X^2 y^2$ D) $5 X^2 y^2$	
77	The expression : $a^4 + a^3 b = (a + b) \dots\dots\dots$	C
	A) a B) a^2 C) a^3 D) a^4	
78	If : $a + b = 5$, then $4 a + 4 b = \dots\dots\dots$	C
	A) 10 B) 15 C) 20 D) 25	
79	$12 X^3 + 3 X^2 = 3 X^2 (\dots\dots\dots + 1)$	A
	A) $4 X$ B) $5 X^2$ C) $5 X^3$ D) $5 X^4$	
80	$9 a^2 + 6 a b = \dots\dots\dots (3 a + 2 b)$	C
	A) $4 a$ B) $2 a$ C) $3 a$ D) $5 a$	
81	The range of the values 2 , 1 , 8 , 13 , 13 and 5 is	C
	A) 10 B) 11 C) 12 D) 13	
82	The mode of the numbers : 3 , 4 , 5 , 6 , 7 and 5 is	C
	A) 3 B) 4 C) 5 D) 6	
83	The mode of the numbers : 3 , 12 , 6 , $3 + X$ is 12 , then $X = \dots\dots\dots$	C
	A) 7 B) 8 C) 9 D) 11	
84	The order of the median of the values : 5 , 2 , 3 , 8 , 9 , 6 , 11 is	C
	A) Second B) third C) fourth D) fifth	
85	Order of median of set of values is fourth then number of values =	C
	A) 3 B) 4 C) 7 D) 6	
86	The median of the numbers : 5 , 11 , 19 , 2 , 4 is	C
	A) 7 B) 4 C) 5 D) 6	
87	The median of the values : $a + 4$, $a + 2$, $a + 3$ is 7 , then $a = \dots\dots\dots$	C
	A) 2 B) 3 C) 4 D) 5	
88	The mean of the numbers : 4 , 2 , 12 is	C
	A) 4 B) 5 C) 6 D) 7	

Prep. [1]

First Term - Geometry

Final Revision

Part 2 - Problems




Mr. Mahmoud Esmail
01006487539 - 01110882717





الاسم

[A] : Choose The Correct Answer : -

1	The measure of the right angle =° (a) 90 (b) 180 (c) 270 (d) 360	A
2	The type of the angle of measure $179^{\circ} 60'$ is angle. (a) acute (b) obtuse (c) straight (d) right	C
3	The angle whose measure is 210° is angle. (a) an acute (b) a right (c) an obtuse (d) a reflex	D
4	If $m(\angle B) = 120^{\circ}$, then $m(\text{reflex } \angle B) = \dots\dots\dots^{\circ}$ (a) 60 (b) 120 (c) 240 (d) 180	C
5	The angle of measure 70° complements an angle of measure° (a) 90 (b) 20 (c) 180 (d) 110	B
6	If $\angle A$ complements $\angle B$, $m(\angle A) = m(\angle B)$, then $m(\angle A) = \dots\dots\dots^{\circ}$ (a) 90 (b) 180 (c) 45 (d) 60	C
7	The acute angle complements angle. (a) an acute (b) an obtuse (c) a right (d) a reflex	A
8	The supplementary angle of the angle of measure 70° is (a) 30° (b) 110° (c) 20° (d) 290°	B
9	The acute angle supplements angle. (a) an acute (b) an obtuse (c) a right (d) a reflex	B
10	If one of two supplementary angles is right, then the other is angle. (a) an acute (b) a right (c) an obtuse (d) a straight	B
11	If $\angle A$ supplements $\angle B$ and $\angle A \equiv \angle B$, then $m(\angle A) = \dots\dots\dots^{\circ}$ (a) 180 (b) 90 (c) 360 (d) 45	B
12	The sum of the measures of two adjacent angles formed by a straight line and a ray with a starting point on this straight line is (a) 90° (b) 180° (c) 270° (d) 360°	B
13	If $\angle A$ and $\angle B$ are supplementary angles and $m(\angle A) = 2m(\angle B)$, then $m(\angle A) = \dots\dots\dots^{\circ}$ (a) 90 (b) 60 (c) 180 (d) 120	D

14	If the ratio between two adjacent supplementary angles is 2 : 3 , then the measure of the smallest angle is° (a) 108 (b) 36 (c) 72 (d) 125	C
15	The sum of measures of the accumulative angles at a point equals (a) 90° (b) 180° (c) 630° (d) 360°	D
16	If $AB = XY$, then \overline{AB} \overline{XY} (a) > (b) = (c) < (d) ≠	B
17	If $\triangle XYZ \cong \triangle LMN$, then $m(\angle Y) = m(\angle \dots\dots\dots)$ (a) L (b) M (c) N (d) X	B
18	If $\overline{AB} \cong \overline{XY}$, then $AB - XY = \dots\dots\dots$ (a) AB (b) XY (c) 1 (d) zero	D
19	If $\triangle ABC \cong \triangle XYZ$, then $BC = \dots\dots\dots$ (a) YZ (b) XZ (c) XY (d) AC	A
20	If $\triangle ABC \cong \triangle XYZ$ and $m(\angle A) + m(\angle X) = 100^\circ$, then $m(\angle A) = \dots\dots\dots^\circ$ (a) 100 (b) 80 (c) 40 (d) 50	D
21	If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle C) = 110^\circ$, then $m(\angle Y) = \dots\dots\dots^\circ$ (a) 50 (b) 70 (c) 80 (d) 100	B
22	If two straight lines are parallel to a third straight line , then they are (a) perpendicular. (b) intersecting. (c) parallel. (d) congruent.	C
23	The straight line that is perpendicular to one of two parallel lines is to the other. (a) parallel (b) congruent (c) perpendicular (d) equal	C
24	If $\overleftrightarrow{AB} \parallel \overleftrightarrow{XY}$, then $\overleftrightarrow{AB} \cap \overleftrightarrow{XY} = \dots\dots\dots$ (a) {B} (b) \overline{AX} (c) \emptyset (d) {Y}	C
25	If $L_1 \parallel L_2$ and $L_1 \perp L_3$, then (a) $L_1 \perp L_2$ (b) $L_1 \parallel L_3$ (c) $L_2 \parallel L_3$ (d) $L_2 \perp L_3$	D
26	In the opposite figure : $\overleftrightarrow{AB} \cap \overleftrightarrow{CD} = \{C\}$, then $x = \dots\dots\dots^\circ$ (a) 180 (b) 30 (c) 20 (d) 120	C










27	<p>In the opposite figure :</p> <p>$m(\angle CMB) = \dots\dots\dots^\circ$</p> <p>(a) 230 (b) 100</p> <p>(c) 130 (d) 30</p>		C
28	<p>In the opposite figure :</p> <p>The necessary condition to make $\triangle ABC \equiv \triangle DEF$ is</p> <p>(a) $AB = DE$ (b) $AC = DF$</p> <p>(c) $BC = EF$ (d) $m(\angle A) = m(\angle D)$</p>		C
29	<p>In the opposite figure : If $\overline{XY} \parallel \overline{LZ}$, then $k = \dots\dots\dots^\circ$</p> <p>(a) 90 (b) 60</p> <p>(c) 30 (d) 20</p>		D
30	<p>In the opposite figure :</p> <p>$\overrightarrow{AB} \cap \overrightarrow{DC} = \{M\}$, $m(\angle AMC) = \dots\dots\dots^\circ$</p> <p>(a) 30 (b) 210 (c) 150 (d) 60</p>		C
31	<p>The measure of the right angle =</p> <p>(a) 90 (b) 180 (c) 270 (d) 360</p>		A
32	<p>The measure of the straight angle =</p> <p>(a) 90 (b) 180 (c) 360 (d) zero</p>		B
33	<p>The type of the angle of measure $179^\circ 60'$ is angle.</p> <p>(a) acute (b) obtuse (c) straight (d) right</p>		C
34	<p>The angle whose measure is 108° is angle.</p> <p>(a) an acute (b) a right (c) an obtuse (d) a straight</p>		C
35	<p>The angle whose measure is 210° is angle.</p> <p>(a) an acute (b) a right (c) an obtuse (d) a reflex</p>		D
36	<p>If $m(\angle B) = 120^\circ$, then $m(\text{reflex } \angle B) = \dots\dots\dots^\circ$</p> <p>(a) 60 (b) 120 (c) 240 (d) 180</p>		C




37	$\overline{AB} \dots\dots\dots \overrightarrow{AB}$ (a) \in (b) \notin (c) \subset (d) $\not\subset$	C
38	If $m(\angle A) + m(\angle B) = 90^\circ$, then $\angle A, \angle B$ are angles. (a) complementary (b) supplementary (c) equal (d) adjacent	A
39	The angle of measure 70° complements an angle of measure (a) 90 (b) 20 (c) 180 (d) 110	B
40	If $\angle A$ complements $\angle B$, $m(\angle A) = m(\angle B)$, then $m(\angle A) =$ (a) 90 (b) 180 (c) 45 (d) 60	C
41	The acute angle complements angle. (a) an acute (b) an obtuse (c) a right (d) a reflex	A
42	If the two adjacent angles are complementary, then their outer sides are (a) perpendicular. (b) coincident. (c) on the same straight line. (d) skew.	A
43	The two angles $35^\circ, 55^\circ$ are (a) complementary. (b) supplementary. (c) adjacent. (d) reflex.	A
44	If $m(\angle X) = 2m(\angle Y)$, $\angle X$ and $\angle Y$ are two complementary angles, then $m(\angle Y) =$ (a) 90° (b) 45° (c) 30° (d) 15°	C
45	The supplementary angle of the angle of measure 70° is (a) 30° (b) 110° (c) 20° (d) 290°	B
46	The acute angle supplements angle. (a) an acute (b) an obtuse (c) a right (d) a reflex	B
47	If one of two supplementary angles is right, then the other is angle. (a) an acute (b) a right (c) an obtuse (d) a straight	B
48	The obtuse angle supplements angle. (a) an acute (b) an obtuse (c) a right (d) a reflex	A

49	If $\angle A$ supplements $\angle B$ and $\angle A \equiv \angle B$, then $m(\angle A) = \dots\dots\dots^\circ$ (a) 180 (b) 90 (c) 360 (d) 45	B
50	The sum of the measures of two adjacent angles formed by a straight line and a ray with a starting point on this straight line is (a) 90° (b) 180° (c) 270° (d) 360°	B
51	If $\angle A$ and $\angle B$ are supplementary angles and $m(\angle A) = 2m(\angle B)$, then $m(\angle A) = \dots\dots\dots^\circ$ (a) 90 (b) 60 (c) 180 (d) 120	D
52	If the ratio between two adjacent supplementary angles is 2 : 3, then the measure of the smallest angle is (a) 108 (b) 36 (c) 72 (d) 125	C
53	If $\angle A \equiv \angle B$, $\angle A$ and $\angle B$ are two supplementary angles, then $\frac{1}{3}m(\angle A) = \dots\dots\dots$ (a) 15° (b) 30° (c) 40° (d) 60°	B
54	The sum of measures of the accumulative angles at a point equals (a) 90° (b) 180° (c) 630° (d) 360°	D
55	If $AB = XY$, then $\overline{AB} \dots\dots\dots \overline{XY}$ (a) $>$ (b) \equiv (c) $<$ (d) \neq	B
56	In $\triangle ABC$, if $m(\angle A) = 30^\circ$, $m(\angle B) = 90^\circ$, then $m(\angle C) = \dots\dots\dots$ (a) 60° (b) 30° (c) 45° (d) 90°	A
57	If $\triangle XYZ \equiv \triangle LMN$, then $m(\angle Y) = m(\angle \dots\dots\dots)$ (a) L (b) M (c) N (d) X	B
58	If $\triangle ABC \equiv \triangle XYZ$ and $m(\angle C) = 50^\circ$, then $m(\angle \dots\dots\dots) = 50^\circ$ (a) X (b) Y (c) Z (d) M	C
59	If $\overline{AB} \equiv \overline{XY}$, then $AB - XY = \dots\dots\dots$ (a) AB (b) XY (c) 1 (d) zero	D

60	If $\triangle ABC \equiv \triangle XYZ$, then $BC = \dots\dots\dots$ (a) YZ (b) XZ (c) XY (d) AC	A
61	If $\triangle ABC \equiv \triangle MNO$, $m(\angle M) = 40^\circ$ and $m(\angle C) = 60^\circ$, then $m(\angle B) = \dots\dots\dots^\circ$ (a) 40 (b) 80 (c) 60 (d) 100	B
62	If $\triangle ABC \equiv \triangle XYZ$ and $m(\angle A) + m(\angle X) = 100^\circ$, then $m(\angle A) = \dots\dots\dots^\circ$ (a) 100 (b) 80 (c) 40 (d) 50	D
63	If $\triangle ABC \equiv \triangle XYZ$, $m(\angle A) + m(\angle C) = 110^\circ$, then $m(\angle Y) = \dots\dots\dots^\circ$ (a) 50 (b) 70 (c) 80 (d) 100	B
64	If two straight lines are parallel to a third straight line , then they are (a) perpendicular. (b) intersecting. (c) parallel. (d) congruent.	C
65	If parallel straight lines divide a straight line into segments of equal lengths , then they divide any other straight line into segments of lengths. (a) parallel (b) not equal (c) equal (d) perpendicular	C
66	The straight line that is perpendicular to one of two parallel lines is to the other. (a) parallel (b) congruent (c) perpendicular (d) equal	C
67	If $\overleftrightarrow{AB} \parallel \overleftrightarrow{XY}$, then $\overleftrightarrow{AB} \cap \overleftrightarrow{XY} = \dots\dots\dots$ (a) $\{B\}$ (b) \overline{AX} (c) \emptyset (d) $\{Y\}$	C
68	If $L_1 \parallel L_2$ and $L_1 \perp L_3$, then (a) $L_1 \perp L_2$ (b) $L_1 \parallel L_3$ (c) $L_2 \parallel L_3$ (d) $L_2 \perp L_3$	D
69	In the opposite figure : $m(\angle CMB) = \dots\dots\dots^\circ$ (a) 230 (b) 100 (c) 130 (d) 30	C



70	<p>In the opposite figure :</p> <p>The necessary condition to make $\triangle ABC \equiv \triangle DEF$ is</p> <p>(a) $AB = DE$ (b) $AC = DF$ (c) $BC = EF$ (d) $m(\angle A) = m(\angle D)$</p>		C
71	<p>In the opposite figure :</p> <p>$\overrightarrow{AB} \cap \overrightarrow{CD} = \{C\}$, then $x = \dots\dots\dots^\circ$</p> <p>(a) 180 (b) 30 (c) 20 (d) 120</p>		C
72	<p>In the opposite figure :</p> <p>If $AB = DE$, $BC = EC$, $\overline{AC} \perp \overline{BD}$, then $m(\angle A) = \dots\dots\dots$</p> <p>(a) $m(\angle B)$ (b) $m(\angle D)$ (c) $m(\angle DEC)$ (d) $m(\angle ACD)$</p>		B
73	<p>In the opposite figure : If $\overline{XY} \parallel \overline{LZ}$, then $k = \dots\dots\dots^\circ$</p> <p>(a) 90 (b) 60 (c) 30 (d) 20</p>		D
74	<p>In the opposite figure :</p> <p>$\overline{AD} \parallel \overline{CE}$, $m(\angle B) = \dots\dots\dots^\circ$ (Hint : Draw a line passing through B and parallel to \overline{AD} and \overline{CE})</p> <p>(a) 70 (b) 80 (c) 90 (d) 100</p>		B
75	<p>In the opposite figure :</p> <p>$\overline{AB} \cap \overline{DC} = \{M\}$, $m(\angle AMC) = \dots\dots\dots^\circ$</p> <p>(a) 30 (b) 210 (c) 150 (d) 60</p>		C

76	<p>In the opposite figure :</p> <p>$x = \dots\dots\dots^\circ$</p> <p>(a) 40 (b) 80 (c) 50 (d) 100</p>	 <p>C</p>
77	<p>In the opposite figure :</p> <p>$m(\angle C) = \dots\dots\dots$</p> <p>(a) 105° (b) 75° (c) 45° (d) 90°</p>	 <p>B</p>
78	<p>In the opposite figure : $x = \dots\dots\dots^\circ$</p> <p>(a) 20 (b) 30 (c) 40 (d) 120</p>	 <p>A</p>